



BEARING CORP.OF CANADA LTD.

1.188 Inch | 30.175 Millimeter x 1.689 Inch | 42.9
Millimeter x 1.875 Inch | 47.63 Millimeter NTN
UCPX06-103D1 Pillow Block Bearings



Bearing No. UCPX06-103D1

UCPX06-103D1 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.801
EAN	4547359223644
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	UCX06-103D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Medium Duty Wide Inner Race Has Flinger
Long Description	2 Bolt Pillow Block; 1-3/16" Bore; 1-7/8" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable;



BEARING CORP.OF CANADA LTD.

	Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCPX06-103D1
Weight / LBS	4.4
Bolt Spacing Maximum	0 Inch 0Millimeter
Nominal Bolt Center to Center	5 Inch 127 Millimeter
D	1.689 Inch 42.9 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Actual Bolt Center to Center	5 Inch 127Millimeter
B	1.875 Inch 47.63 Millimeter
d	1.188 Inch 30.175 Millimeter
mounting:	Two-Bolt Base
overall height:	3.6563 in
bore diameter:	1.1875 in
finish/coating:	Uncoated
bore type:	Round
overall width:	1.689 in
base to bore centerline:	1.8750 in
operating temperature range:	-15 to +100 ° C
duty type:	Medium Duty
base width:	2-1/4 in
housing material:	Cast Iron



BEARING CORP.OF CANADA LTD.

bolt center-to-center length:	5 in
locking device:	Set Screw
lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UCPX
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UCX06-103D1
overall length:	6.8750 in